

WEB PAGES: CSS part 1

CSS RULE

Selector { property: value;
 property: value; }
 |
 Declaration
 |
HTML,
class or ID

Embedded CSS (in the Head Section)

```
<style type = "text/css">  
  selector { property: value; }  
  selector { property: value; }  
</style>
```

INLINE (example)

```
<h1 style="color: red;">  
  This is Red  
</h1>
```

Linking an external CSS to webpage (use either method, in the head section)

```
<link rel="stylesheet" type="text/css" href="filename.css">  
- or -  
<style type = "text/css">  
  @import url(filename.css);  
  selector { property: value; }  
</style>
```

Declaration Properties

color
margin
margin-top
padding
padding-top
border
border-top
text-align
text-decoration
letter-spacing
background-color
font
font-family
font-style
font-variant

Declaration Values

FONT-SIZE

xx-small, x-small
small, large, x-large
xx-large, smaller, larger
or a specific size w/ unit
(e.g. 15px)

FONT-STYLE

italic, oblique, normal

FONT-WEIGHT

normal, bold, bolder
lighter, 1(00) to 9(00)

BORDER-STYLE

dotted, dashed
solid, double
groove, ridge
inset, outset

TEXT-DECORATION

none, underline,
overline, line-through,
blink (not IE)

TEXT-TRANSFORM

uppercase
lowercase
capitalize

BOX MODEL DETAILS

